



DEFOLLİANTLAR



AR-TEC

ARTFONİL

48 g/L Ethephon

**Product Details:**


Forced crops will only be obtained when applied by spraying on tomato trusses when hybrid species grown in greenhouses or outdoors come to green maturity stage. It should be noted that flowers and young trusses should not be sprayed in this application.

USE OF

Plant Name	Purpose of	Dosage and Period
TOMATO	Provides early harvest mature accelerating the reddening of green tomatoes.	200-300 ml/da
COTTON	It encourages the rapid expansion of cotton boll	300 ml/da

ARTONIL

120 g/L Thidiazuron +
60 g/L Diuron



Product Details:

This is a defoliant applied 10-14 days prior to cotton harvest and which ensures leaf pruning as green. It is taken by the leaves and causes early maturing of the separating tissue located at the point where the leafstalk connects to the stem; early pruning of such leaves while they are still green. Cotton fibres in bolls remain clean since the leaves prune before drying and this enables harvest of cotton at once.

PLANTS AND INSECTS USED

Plant Name	Dose	Application Time
Cotton	60 ml/da	The cotton harvest 10-14 days ago

Carrot	3 months you sow
Bean, Clover, Stem and leaf vegetables eaten	2 months you sow
Cereals, Millet, Corn	2 months you sow
Onion	4 months you sow
Lettuce	9 months you sow



MOLLUSİSİTLER



AR-TEC

ARTGET 6

6% Metaldehyde

**Product Details:**

It is used as an application against snails and slugs on vegetables, saplings, fruits, forest plants and ornamental plants.

PLANTS AND INSECTS USED

Plant Name	Purpose of	Dosage and Period
Kültür Bitkileri	<i>Helix spp.</i> <i>Helicella variegata</i>	1,5 kg/da (Harmful seen used)